



**LOVE2SHOP.CO.ZA**  
EST 2023

**KENDAL**

**2023**

Portable Outdoor  
Power Station




# G1-150W

Capacity: 39000mAh/145Wh



LOVE2SHOP.CO.ZA  
EST 2023

»»Three Charging Methods, Free Choice ««



# G1-150W



LOVE2SHOP.CO.ZA  
EST 2023



## Technical Specification

Battery Capacity: 39000mAh(145Wh)

size: 198\*108\*126mm

weight: 1.5kg

DC-Import: DC 13-26V

USB-Output: 5V/2.1A\*2;

DC-Output: DC 9~12V/10A\*3

AC-Output: 110V 60Hz/230V 50Hz

Rated Output of the inverter: 150W

Battery Charging and Discharging life: >1000 次

Operating Temperature: -10°C-40°C

Product Protection: a. Short circuit protection b. Over current protection c. Over voltage protection d. Under voltage protection

## Highlights of Products

- ※ Small and light appearance, increase the embellishment color without lose smart, custom OEM more convenient;
- ※ Support the battery life of small household appliances below 150W;
- ※ Multi-output port, suitable for mobile phone, camera, UAV and vehicle electronic equipment endurance;
- ※ With 3 charging methods, optional solar charging, to ensure the outdoor power supply endurance;
- ※ With LED light lighting (turn on the LED light in a slow state to prevent direct eye sunshine, the design is more user-friendly).



Multiple charging modes



Full compatibility



Multiple voltage output

# G1-150W



LOVE2SHOP.CO.ZA  
EST 2023

## Product Application Scenario Diagram




# G3-300W

Capacity: 78000mAh/288Wh



LOVE2SHOP.CO.ZA  
EST 2023

»»Three Charging Methods, Free Choice ««



# G3-300W



LOVE2SHOP.CO.ZA  
EST 2023

## Technical Specification



## Product Features

- ✘ The appearance is solid, stable, increase the embellishment color without losing clever, in line with the public aesthetic;
- ✘ Sinusoidal alternating current is adopted to support the endurance of small household appliances below 300W;
- ✘ 12V voltage regulator, 24V to solve the market such as refrigerators and other problems with electricity;
- ✘ Multi-output port, suitable for mobile phones, cameras, drones and vehicle electronic equipment endurance;
- ✘ With 3 charging methods, optional solar charging, to ensure the outdoor power supply endurance;
- ✘ LED display, a variety of operating states at a glance;
- ✘ With wireless charging function, so that consumers can free the phone charging cable limit;
- ✘ All ports have the function of charging while discharging;
- ✘ With LED light lighting (turn on the LED light to do a slow open state, to prevent direct eye sunny, more user-friendly design).

Battery Capacity: 78000mAh(288Wh)

Size: 210×146×157mm

Weight: 3.2kg

DC-Import: DC 13-26V

USB-Output: 5V/2.1A\*2; QC3.0(5V/2A;9V/2A)

USB-C-Output: USB-C 5V/2A;9V/2A

DC-Output: DC 12V/10A; DC 24V/4A

AC-Output: 110V 60Hz/230V 50Hz

Rated Output of the inverter: 300W

Output Waveform: Sine wave


Battery Charging and Discharging life: >1000 times

Operating Temperature: -10°C-40°C

Product protection: a. Short circuit protection b. Over current protection c. Over voltage protection d. Under voltage protection



Multiple charging modes



Sine sine wave



Sine sine wave



Multiple voltage output

# G3-300W



**LOVE2SHOP.CO.ZA**  
EST 2023

## Product Application Scenario Diagram



# G5-500W

Capacity: 140400mAh/520Wh



LOVE2SHOP.CO.ZA  
EST 2023

»»Three Charging Methods, Free Choice««



Support for solar charging



On-board charging



Support AC power adapter charging



# G5-500W



LOVE2SHOP.CO.ZA  
EST 2023

## Technical Specification



## Highlights of Products

- ※ Appearance oil injection design, exquisite appearance, high-grade;
- ※ Sinusoidal alternating current is adopted to support the endurance of small household appliances below 500W.
- ※ Adopt exclusive shutdown 0 power consumption technology, more durable;
- ※ Multi-output port, suitable for mobile phones, cameras, drones and vehicle electronic equipment endurance;
- ※ With 3 charging methods, optional solar charging, to ensure the outdoor power supply endurance;
- ※ LED display, a variety of operating states at a glance.

Battery Capacity: 140400mAh (520Wh)

Size: 306\*200\*176mm

Weight: 6.3kg

DC-Import: DC 13-26V

USB-Output: 5V/2.1A\*2; QC3.0(5V/2A;9V/2A)

USB-C-output: USB-C 5V/2A;9V/2A

DC-Output: DC 12V/10A;

AC-Output: 110V 60Hz/230V 50Hz

Rated Output of the inverter: 500W

Output Waveform: Sine wave

Battery Charging and Discharging life: >1000 times

Operating Temperature: -10°C-40°C


Product Protection: a. Short circuit protection b. Over current protection c. Over voltage protection d. Under voltage protection



Multiple charging modes



Sine sine wave



Sine sine wave



Multiple voltage output

# G5-500W



LOVE2SHOP.CO.ZA  
EST 2023

## Product Application Scenario Diagram



# G10-1000W

Capacity: 327600mAh/1048Wh



LOVE2SHOP.CO.ZA  
EST 2023

»Three Charging Methods, Free Choice«



# G10-1000W



LOVE2SHOP.CO.ZA  
EST 2023

## Technical Specification

Battery Capacity: 327600mAh (1048Wh)

Size: 394\*213\*287mm

Weight: 16kg

DC-Import: DC 27-50V

USB-Output: 5V/2.1A\*8; QC3.0(5V/2A;9V/2A)

USB-C-Output: USB-C 5V/2A;9V/2A

DC-Output: DC 12V/10A;

AC-Output: 110V 60Hz/230V 50Hz

Rated Output of the inverter: 1000W

Output Waveform: Sine wave

Battery Charging and Discharging life: >2000 times

Operating Temperature: -10°C-40°C

Product Protection: a. Short circuit protection b. Over current protection c. Over voltage protection d. Under voltage protection

## Highlights of Products

- ※ Lithium iron phosphate battery, super safe, no fire, no explosion;
- ※ It can be used more than 2000 times;
- ☞※ Sinusoidal alternating current is adopted to support the endurance of household appliances below 1000W;
- ※ 12V voltage regulator design;
- ※ The product is surrounded by anti-fall decoration software design;
- ※ Multi-output port, suitable for mobile phones, rice cookers, drones and vehicle electronic equipment endurance;
- ※ Maximum support 15A charging, in order to use the minimum time to achieve the maximum energy;
- ※ LED display, a variety of operating states at a glance;



Multiple charging modes



Sine sine wave



Sine sine wave



Multiple voltage output

# G10-1000W



**LOVE2SHOP.CO.ZA**  
EST 2023

## Product Application Scenario Diagram



# G10-1500W



## Highlights of Products

- ※ Ternary lithium polymer battery, super safe, no fire, no explosion;
- ※ It can be used more than 500 times;
- ☞※ Sinusoidal alternating current is adopted to support the endurance of household appliances below 1500W;
- ※ 12V voltage regulator design;
- ※ The product is surrounded by anti-fall decoration software design;
- ※ Multi-output port, suitable for mobile phones, rice cookers, drones and vehicle electronic equipment endurance;
- ※ Maximum support 20A charging, in order to use the minimum time to achieve the maximum energy;
- ※ LED display, a variety of operating states at a glance;



**LOVE2SHOP.CO.ZA**  
EST 2023

### Technical Specification

Battery Capacity: 1295Wh  
Size: 460\*340\*200mm  
Weight: 15kg  
DC-Import: DC 29.4±0.5V  
USB-Output: 5V/2.1A\*8; QC3.0(5V/2A;9V/2A)  
USB-C-Output: USB-C 5V/2A;9V/2A  
DC-Output: DC 12V/10A;  
AC-Output: 110V 60Hz/230V 50Hz  
Rated Output of the inverter: 1500W  
Output Waveform: Sine wave  
Battery Charging and Discharging life: >500 times  
Operating Temperature: -20°C-55°C  
Product Protection: a. Short circuit protection b. Over current protection c. Over voltage protection d. Under voltage protection



Multiple charging modes



Sine sine wave



Sine sine wave



Multiple voltage output

# G10-2000W



**LOVE2SHOP.CO.ZA**  
EST 2023

## Technical Specification

Battery Capacity: 84Ah (2016Wh)

Size: 560\*400\*275mm

Weight: 25kg

DC-Import: DC 29.4±0.5V

USB-Output: 5V/2.1A\*8; QC3.0(5V/2A;9V/2A)

USB-C-Output: USB-C 5V/2A;9V/2A

DC-Output: DC 12V/10A;

AC-Output: 110V 60Hz/230V 50Hz

Rated Output of the inverter: 2000W

Output Waveform: Sine wave

Battery Charging and Discharging life: >1000 times

Operating Temperature: -20°C-60°C

Product Protection: a. Short circuit protection b. Over current protection c. Over voltage protection d. Under voltage protection

## Highlights of Products

- ※ Ternary lithium polymer battery, super safe, no fire, no explosion;
- ※ It can be used more than 1000 times;
- ☞※ Sinusoidal alternating current is adopted to support the endurance of household appliances below 2000W;
- ※ 12V voltage regulator design;
- ※ The product is surrounded by anti-fall decoration software design;
- ※ Multi-output port, suitable for mobile phones, rice cookers, drones and vehicle electronic equipment endurance;
- ※ Maximum support 30A charging, in order to use the minimum time to achieve the maximum energy;
- ※ LED display, a variety of operating states at a glance;



Multiple charging modes



Sine sine wave



Sine sine wave



Multiple voltage output

# G10-3000W



**LOVE2SHOP.CO.ZA**  
EST 2023

## Technical Specification

Battery Capacity: 126Ah (3263Wh)

Size: 620\*400\*200mm

Weight: 35kg

DC-Input: DC 29.4±0.5V

USB-Output: 5V/2.1A\*8; QC3.0(5V/2A;9V/2A)

USB-C-Output: USB-C 5V/2A;9V/2A

DC-Output: DC 12V/10A;

AC-Output: 110V 60Hz/230V 50Hz

Rated Output of the inverter: 3000W

Output Waveform: Sine wave

Battery Charging and Discharging life: >1000 times

Operating Temperature: -20°C-60°C

Product Protection: a. Short circuit protection b. Over current protection c. Over voltage protection d. Under voltage protection

## Highlights of Products


- ※ Ternary lithium polymer battery, super safe, no fire, no explosion;
- ※ It can be used more than 1000 times;
- ☞※ Sinusoidal alternating current is adopted to support the endurance of household appliances below 3000W;
- ※ 12V voltage regulator design;
- ※ The product is surrounded by anti-fall decoration software design;
- ※ Multi-output port, suitable for mobile phones, rice cookers, drones and vehicle electronic equipment endurance;
- ※ Maximum support 100A charging, in order to use the minimum time to achieve the maximum energy;
- ※ LED display, a variety of operating states at a glance;



Multiple charging modes



Sine sine wave



Sine sine wave



Multiple voltage output



# Other Products



LOVE2SHOP.CO.ZA  
EST 2023

## More Products

---



G10Y



G30C



G40B



G10T



G40T



G30T



G20T





G20B

# Portable Solar Panel



**LOVE2SHOP.CO.ZA**  
EST 2023

## More Products



### EA-15

Solar power charger	
Power	15W Single crystal
Output	2*5V/2.4A
Size of expansion	610*280*15mm
Size of folding	280*195*25mm
Weight	0.5kg

### EA-22

Solar power charger	
Power	22W Single crystal
Output	3*5V/3A
Size of expansion	815*280*15mm
Size of folding	280*195*30mm
Weight	0.7kg

### EA-30




Solar power charger	
Power	30W Single crystal
Output	USB1: 5V/3A USB2: QC3.0 24W Type-C: PD 18W
Size of expansion	1020*280*15mm
Size of folding	280*195*35mm
Weight	1.0kg

# Portable Solar Panel



**LOVE2SHOP.CO.ZA**  
EST 2023

## More Products



### EP-75

Solar power charger	
Power	75W Single crystal
Output	DC: 19V/3.95A USB: QC3.0 24W Type-C: PD45W
Size of expansion	1350*420*25mm
Size of folding	420*390*45mm
Weight	3kg

### EP-100

Solar power charger	
Power	100W Single crystal
Output	DC: 19V/5.26A USB: QC3.0 24W Type-C: PD45W
Size of expansion	1490*470*25mm
Size of folding	470*435*45mm
Weight	3.8kg

### EP-120

Solar power charger	
Power	120W Single crystal
Output	DC: 19V/6.31A USB: QC3.0 24W Type-C: PD45W
Size of expansion	1905*470*25mm
Size of folding	470*435*50mm
Weight	4.7kg



#### 180° adjustable bracket package

The storage bag can be used as the back bracket of the solar panel for angle adjustment, convenient and easy to use.




# Portable Solar Panel



**LOVE2SHOP.CO.ZA**  
EST 2023

## More Products



### UB-75

Lightweight solar folding bag	
Power	75W Single crystal
Output	DC: 20V/3.75A USB: QC3.0 24W Type-C: PD45W
Size of expansion	915*550*25mm
Size of folding	550*450*45mm
Weight	2.2kg

### UB-100

Lightweight solar folding bag	
Power	100W Single crystal
Output	DC: 20V/5A USB: QC3.0 24W Type-C: PD45W
Size of expansion	1265*560*25mm
Size of folding	560*632*45mm
Weight	2.9kg

### UB-150

Lightweight solar folding bag	
Power	150W Single crystal
Output	DC: 20V/7.5A
Size of expansion	1690*550*25mm
Size of folding	550*450*50mm
Weight	3.7kg



# Portable Solar Panel



**LOVE2SHOP.CO.ZA**  
EST 2023

## More Products



**180° adjustable bracket package**  
The storage bag can be used as the back bracket of the solar panel for angle adjustment, convenient and easy to use.



### UB-200

Lightweight solar folding bag	
Power	200W Single crystal
Output	DC: 20V/10A or 39V/5.12A
Size of expansion	2370*560*25mm
Size of folding	560*630*50mm
Weight	5.15kg

### UB-300

Lightweight solar folding bag	
Power	300W Single crystal
Output	DC: 20V/15A or 39V/7.69A
Size of expansion	2355*720*25mm
Size of folding	720*630*50mm
Weight	6.35kg

### UB-400



Lightweight solar folding bag	
Power	400W Single crystal
Output	DC: 39V/10.25A
Size of expansion	3030*800*25mm
Size of folding	800*795*45mm
Weight	9kg

# Portable Solar Panel



**LOVE2SHOP.CO.ZA**  
EST 2023

## More Products



### UC-100

Lightweight solar folding bag	
Power	100W Single crystal
Output	DC: 20V/5A USB: QC3.0 24W Type-C: PD45W
Size of expansion	1360*560*25mm
Size of folding	550*405*45mm
Weight	2.8kg

### UC-120

Lightweight solar folding bag	
Power	120W Single crystal
Output	DC: 20V/6A USB: QC3.0 24W Type-C: PD45W
Size of expansion	1905*470*25mm
Size of folding	470*435*50mm
Weight	3.4kg

### UC-150

Lightweight solar folding bag	
Power	150W Single crystal
Output	DC: 20V/7.5A
Size of expansion	1780*560*25mm
Size of folding	550*435*50mm
Weight	3.5kg



#### 180° adjustable bracket package

The storage bag can be used on the back bracket of the solar panel for angle adjustment, convenient and easy to use.



# Portable Solar Panel



**LOVE2SHOP.CO.ZA**  
EST 2023

## More Products



**180° adjustable bracket package**  
The storage bag can be used as the back bracket of the solar panel for angle adjustment, convenient and easy to use.



### UC-200

Lightweight solar folding bag	
Power	200W Single crystal
Output	DC: 20V/10A or 39V/5.12A
Size of expansion	2470*560*25mm
Size of folding	560*565*50mm
Weight	4.95kg

### UC-300

Lightweight solar folding bag	
Power	300W Single crystal
Output	DC: 20V/15A or 39V/7.69A
Size of expansion	2480*720*25mm
Size of folding	720*600*50mm
Weight	6.2kg

### UC-400

Lightweight solar folding bag	
Power	400W Single crystal
Output	DC: 39V/10.25A
Size of expansion	3200*800*25mm
Size of folding	800*730*50mm
Weight	8.8kg